Volume 198 1991

Table of contents

No. 1 1–274 issued on May 23, 1991
No. 2 275–540 issued on June 1, 1991
No. 3 541–812 issued on June 15, 1991

Information for Authors 807–812

Contents of Volume 198 I–IX

Nucleic acids, protein synthesis and molecular genetics

Cloning, nucleotide sequence and expression of the cytochrome *c*-552 gene from *Hydrogenobacter thermophilus*
Y. Sanbongi, J.-H. Yang, Y. Igarashi and T. Kodama 7–12

The chloroplast transcription apparatus from mustard (*Sinapis alba* L.) — Evidence for three different transcription factors which resemble bacterial σ factors
K. Tiller, A. Eisermann and G. Link 93–99

Isolation and characterization of the human pyruvate kinase M gene
M. Takenaka, T. Noguchi, S. Sadahiro, H. Hirai, K. Yamada, T. Matsuda, E. Imai and T. Tanaka 101–106

Repetitive sequences involved in the recombination leading to deletion of exon 5 of the low-density-lipoprotein receptor gene in a patient with familial hypercholesterolemia
N. S. Rüdiger, P. S. Hansen, M. Jørgensen, O. Faergeman, L. Bolund and N. Gregersen 107–111

Alanyl-tRNA synthetase from *Escherichia coli*, *Bombyx mori* and *Ratus ratus* — Existence of common structural features
J. D. Dignam, S. S. Dignam, and L. L. Brumley 201–210

Production and purification of recombinant human interleukin-6 secreted by the yeast *Saccharomyces cerevisiae*
Y. Guisez, B. Tison, J. Vandekerckhove, J. Demolder, G. Bauw, G. Haegeman, W. Fiers and R. Contreras 217–222

Complete sequence of *Sipunculus nudus* erythrocyte histone H2B and its gene — Identification of an *N,N*-dimethylproline residue at the amino-terminus
D. Kmiécik, D. Bélaïche, P. Sautière, M.-H. Loucheux-Lefebvre and J. P. Kerckaert 275–283

A model of the *lac* repressor–operator complex based on physical and genetic data
B. Kisters-Woike, N. Lehming, J. Sartorius, B. von Wilcken-Bergmann and B. Müller-Hill 411–419

The cytosolic and glycosomal isoenzymes of glyceraldehyde-3-phosphate dehydrogenase in *Trypanosoma brucei* have a distant evolutionary relationship
P. A. M. Michels, M. Marchand, L. Kohl, S. Allert, R. K. Wierenga and F. R. Opperdoes 421–428

Single-step purification and structural characterization of human interleukin-6 produced in *Escherichia coli* from a T7 RNA polymerase expression vector
R. Arcone, P. Pucci, F. Zappacosta, V. Fontaine, A. Malorni, G. Marino and G. Ciliberto 541–547

Isolation and characterization of cDNAs encoding viscotoxins of mistletoe (*Viscum album*)
G. Schrader and K. Apel 549–553

Ribosome-bound EF-1α-like protein of yeast *Saccharomyces cerevisiae*
S. A. Didichenko, M. D. Ter-Avanesyan and V. N. Smirnov 705–711

The synthesis of polyphenylalanine on ribosomes to which erythromycin is bound
O. W. Odom, W. D. Picking, T. Tsalkova and B. Hardesty 713–722

Preproabrin: genomic cloning, characterisation and the expression of the A-chain in *Escherichia coli*
K. A. Wood, J. M. Lord, E. J. Wawrzynczak and M. Piatak 723–732

Protein chemistry and structure

Amino acid sequence of an extracellular, phosphate-starvation-induced ribonuclease from cultured tomato (*Lycopersicon esculentum*) cells
W. Jost, H. Bak, K. Glund, P. Terpstra and J. J. Beintema 1–6

Nuclear transition protein 1 from ram elongating spermatids — Mass spectrometric characterization, primary structure and phosphorylation sites of two variants
F. Chirat, A. Martinage, G. Briand, M. Kouach, A. Van Dorsselaer, M. Loir and P. Sautière 13–20

Identification of Lys116 as the target of *N*-ethylmaleimide inactivation of ferredoxin:$NADP^+$ oxidoreductase
A. Aliverti, G. Gadda, S. Ronchi and G. Zanetti 21–24

Isolation and characterization of recombinant human casein kinase II subunits α and β from bacteria
N. Grankowski, B. Boldyreff and O.-G. Issinger 25–30

Resonant recognition model and protein topography — Model studies with myoglobin, hemoglobin and lysozyme
I. Cosic, A. N. Hodder, M.-I. Aguilar and M. T. W. Hearn 113–119

Ca^{2+}-dependent phospholipid and arachidonic acid binding by the placental annexins VI and IV
H. C. Edwards and M. J. Crumpton 121–129

The conformational effects of *N*-glycosylation on the tailpiece from serum IgM
M. R. Wormald, E. W. Wooten, R. Bazzo, C. J. Edge, A. Feinstein, T. W. Rademacher and R. A. Dwek 131–139

Calcium-dependent binding of basement membrane protein BM-40 (osteonectin, SPARC) to basement membrane collagen type IV
U. Mayer, M. Aumailley, K. Mann, R. Timpl and J. Engel 141–150

Comparison of multiple forms of the high mobility group I proteins in rodent and human cells – Identification of the human high mobility group I-C protein
V. Giancotti, A. Bandiera, E. Buratti, A. Fusco, R. Marzari, B. Coles and G. H. Goodwin 211–216

Fluorescence study of the conformational properties of myoglobin structure – 1. pH-dependent changes of tryptophanyl fluorescence in intact and chemically modified sperm whale apomyoglobins
G. B. Postnikova, Y. E. Komarov and E. M. Yumakova 223–232

Fluorescence study of the conformational properties of myoglobin structure – 2. pH- and ligand-induced conformational changes in ferric- and ferrous myoglobins
G. B. Postnikova, Y. E. Komarov and E. M. Yumakova 233–239

Fluorescence study of the conformational properties of myoglobin structure – 3. pH-dependent changes in porphyrin and tryptophan fluorescence of the complex of sperm whale apomyoglobin with protoporphyrin IX; the role of the porphyrin macrocycle and iron in formation of native myoglobin structure
G. B. Postnikova and E. M. Yumakova 241–246

NMR study of *Galeorhinus japonicus* myoglobin – ^{1}H-NMR evidence for a structural alteration on the active site of *G. japonicus* myoglobin upon azide ion binding
Y. Yamamoto, R. Chûjô and T. Suzuki 285–291

Genetic engineering of *Escherichia coli* inorganic pyrophosphatase – Tyr55 and Tyr141 are important for the structural integrity
R. Lahti, T. Salminen, S. Latonen, P. Heikinheimo, K. Pohjanoksa and J. Heinonen 293–297

NMR study of *Galeorhinus japonicus* myoglobin – ^{1}H-NMR study of molecular structure of the heme cavity
Y. Yamamoto, K. Iwafune, N. Nanai, A. Ôsawa, R. Chûjô and T. Suzuki 299–306

Primary and secondary structural patterns in eukaryotic cytochrome *P*-450 families correspond to structures of the helix-rich domain of *Pseudomonas putida* cytochrome $P\text{-}450_{cam}$ – Indications for a similar overall topology
C. A. Ouzounis and W. T. Melvin 307–315

Effect of mutagenesis at each of five histidine residues on enzymatic activity and stability of ribonuclease H from *Escherichia coli*
S. Kanaya, K. Katayanagi, K. Morikawa, H. Inoue, E. Ohtsuka and M. Ikehara 437–440

Purification and biochemical characterization of a soluble mouse interferon-γ receptor produced in insect cells
M. Fountoulakis, E.-J. Schlaeger, R. Gentz, J.-F. Juranville, M. Manneberg, L. Ozmen and G. Garotta 441–450

Functionally important regions of glucose-6-phosphate dehydrogenase defined by the *Saccharomyces cerevisiae* enzyme and its differences from the mammalian and insect forms
B. Persson, H. Jörnvall, I. Wood and J. Jeffery 485–491

Characterisation of the specific *p*-nitrophenylphosphatase gene and protein of *Schizosaccharomyces pombe*
J. Yang, S. S. Dhamija and M. E. Schweingruber 493–497

Metal affinity precipitation of proteins carrying genetically attached polyhistidine affinity tails
G. Lilius, M. Persson, L. Bülow and K. Mosbach 499–504

Characterization and primary structure of a second thioredoxin from the green alga, *Chlamydomonas reinhardtii*
P. Decottignies, J.-M. Schmitter, S. Dutka, J.-P. Jacquot and M. Miginiac-Maslow 505–512

The solution structure of human transforming growth factor α
T. S. Harvey, A. J. Wilkinson, M. J. Tappin, R. M. Cooke and I. D. Campbell 555–562

Different glycoforms of human thrombomodulin – Their glycosaminoglycan-dependent modulatory effects on thrombin inactivation by heparin cofactor II and antithrombin III
T. Koyama, J. F. Parkinson, P. Sié, N. U. Bang, G. Müller-Berghaus and K. T. Preissner 563–570

Structural organization of the multifunctional animal fatty-acid synthase
A. Witkowski, V. S. Rangan, Z. I. Randhawa, C. M. Amy and S. Smith 571–579

Isolation and characterization of authentic Phe-Met-Arg-Phe-NH_2 and the novel Phe-Thr-Arg-Phe-NH_2 peptide from *Nereis diversicolor*
B. Baratte, H. Gras-Masse, G. Ricart, P. Bulet and N. Dhainaut-Courtois 627–633

Structural and functional analyses of glycosylation on the distinct molecules of human GM-CSF receptors
K. Shibuya, S. Chiba, K. Miyagawa, T. Kitamura, K. Miyazono and F. Takaku 659–666

EPR and ^{1}H-NMR spectroscopic studies on the paramagnetic iron at the active site of phenylalanine hydroxylase and its interaction with substrates and inhibitors
A. Martínez, K. K. Andersson, J. Haavik and T. Flatmark 675–682

Primary structure of bovine lactoperoxidase, a fourth member of a mammalian heme peroxidase family
M.-M. Cals, P. Mailliart, G. Brignon, P. Anglade and B. Ribadeau-Dumas 733–739

A spectroscopic and conformational study of pertussis toxin
R. N. Seabrook, T. Atkinson and L. I. Irons 741–747

Amino acid sequence analysis of the annexin super-gene family of proteins
G. J. Barton, R. H. Newman, P. S. Freemont and M. J. Crumpton 749–760

Sorbitol dehydrogenase: cDNA coding for the rat enzyme — Variations within the alcohol dehydrogenase family independent of quaternary structure and metal content
C. Karlsson, H. Jörnvall and J.-O. Höög 761–765

Enzymology

Denaturation capacity: a new quantitative criterion for selection of organic solvents as reaction media in biocatalysis
Y. L. Khmelnitsky, V. V. Mozhaev, A. B. Belova, M. V. Sergeeva and K. Martinek 31–41

Cellobiose dehydrogenases of *Sporotrichum* (*Chrysosporium*) *thermophile*
G. Canevascini, P. Borer and J.-L. Dreyer 43–52

Anion binding at the active site of trypanosomal triosephosphate isomerase — Monohydrogen phosphate does not mimic sulphate
C. L. M. J. Verlinde, M. E. M. Noble, K. H. Kalk, H. Groendijk, R. K. Wierenga and W. G. J. Hol 53–57

The monoclonal antibody 2G8 is carbohydrate-specific and distinguishes between different forms of vertebrate cholinesterases
J. Liao, H. Heider, M.-C. Sun, S. Stieger and U. Brodbeck 59–65

Inactivation of *Escherichia coli* outer-membrane phospholipase A by the affinity label hexadecanesulfonyl fluoride — Evidence for an active-site serine
A. J. G. Horrevoets, H. M. Verheij and G. H. de Haas 247–253

Activation of reconstituted *Escherichia coli* outer-membrane phospholipase A by membrane-perturbing peptides results in an increased reactivity towards the affinity label hexadecanesulfonyl fluoride
A. J. G. Horrevoets, C. Francke, H. M. Verheij and G. H. de Haas 255–261

A green 2,4-pentadienoyl-CoA reductase from *Clostridium aminovalericum*
U. Eikmanns and W. Buckel 263–266

New assays for the tyrosine hydroxylase and dopa oxidase activities of tyrosinase
A. J. Winder and H. Harris 317–326

Purification, characterization and some properties of diacetyl(acetoin) reductase from *Enterobacter aerogenes*
J. Carballo, R. Martin, A. Bernardo and J. Gonzalez 327–332

The cytosolic and glycosomal glyceraldehyde-3-phosphate dehydrogenase from *Trypanosoma brucei* — Kinetic properties and comparison with homologous enzymes
A.-M. Lambeir, A. M. Loiseau, D. A. Kuntz, F. M. Vellieux, P. A. M. Michels and F. R. Opperdoes 429–435

Aminopeptidase P from rat brain — Purification and action on bioactive peptides
H.-T. Harbeck and R. Mentlein 451–458

Purification, characterisation and mutagenesis of highly expressed recombinant yeast pyruvate kinase
T. H. L. Murcott, T. McNally, S. C. Allen, L. A. Fothergill-Gilmore and H. Muirhead 513–519

Cytosolic L-alanine:4,5-dioxovalerate transaminase differs from the mitochondrial form
N. K. Singh, R. K. Tyagi and K. Datta 581–587

Structural and functional differences between carbonic anhydrase isoenzymes I and II as studied by site-directed mutagenesis
G. Behravan, P. Jonasson, B.-H. Jonsson and S. Lindskog 589–592

Purification and properties of the phosphofructokinase from *Lactobacillus bulgaricus* — A non-allosteric analog of the enzyme from *Escherichia coli*
G. Le Bras, D. Deville-Bonne and J.-R. Garel 683–687

Inhibitors of metabolic reactions — Scope and limitation of acyl-CoA-analogue CoA-thioethers
U. Lill, A. Kollmann-Koch, A. Bibinger and H. Eggerer 767–773

The complex between a tissue inhibitor of metalloproteinases (TIMP-2) and 72-kDa progelatinase is a metalloproteinase inhibitor
H. Kolkenbrock, D. Orgel, A. Hecker-Kia, W. Noack and N. Ulbrich 775–781

Purification and characterization of a novel 5′ exodeoxyribonuclease from the yeast *Saccharomyces cerevisiae*
M. Dölberg, C.-P. Baur and R. Knippers 783–787

Carbohydrates, lipids and other natural products

Isolation and structural characterization of novel neutral oligosaccharide-alditols from respiratory-mucus glycoproteins of a patient suffering from bronchiectasis — 1. Structure of 11 oligosaccharides having the GlcNAcβ(1→3)Galβ(1→4)GlcNAcβ(1→6)-GalNAc-ol structural element in common
A. Klein, C. Carnoy, G. Lamblin, P. Roussel, J. A. van Kuik, P. de Waard and J. F. G. Vliegenthart 151–168

Isolation and structural characterization of novel neutral oligosaccharide-alditols from respiratory-mucus glycoproteins of a patient suffering from bronchiectasis — 2. Structure of twelve hepta-to-nonasaccharides, six of which possess the GlcNAcβ(1→3)[Galβ-(1→4)GlcNAcβ(1→6)]Galβ(1→3)-GalNAc-ol common structural element
J. A. van Kuik, P. de Waard, J. F. G. Vliegenthart, A. Klein, C. Carnoy, G. Lamblin and P. Roussel 169–182

Structural analysis of the lipid A component of *Campylobacter jejuni* CCUG 10936 (serotype O:2) lipopolysaccharide — Description of a lipid A containing a hybrid backbone of 2-amino-2-deoxy-D-glucose and 2,3-diamino-2,3-dideoxy-D-glucose
A. P. Moran, U. Zähringer, U. Seydel, D. Scholz, P. Stütz and E. T. Rietschel 459–469

Characterization of a novel type of chain-terminator Galβ1-6Galβ1-4GlcNAc in an oligosaccharide related to *N*-glycosylated protein glycans isolated from the urine of patients with GM_1 gangliosidosis
J. C. Michalski, J. Lemoine, J. M. Wieruszeski, B. Fournet, J. Montreuil and G. Strecker 521–526

Isolation and structure determination of a novel compatible solute from the moderately halophilic purple sulfur bacterium *Ectothiorhodospira marismortui*
E. A. Galinski and A. Oren 593–598

Evidence that the decarboxylation reaction occurs before the first methylation in ubiquinone biosynthesis in rat liver mitochondria
D. Kang, K. Takeshige, R. Isobe and S. Minakami 599–605

Novel phosphonoglycosphingolipids containing pyruvylated galactose from the nervous system of *Aplysia kurodai*
S. Araki, S. Abe, M. Satake, A. Hayashi, K. Kon and S. Ando 689–695

Structural characterization of the lipid A component of *Pseudomonas aeruginosa* wild-type and rough mutant lipopolysaccharides
V. A. Kulshin, U. Zähringer, B. Lindner, K.-E. Jäger, B. A. Dmitriev and E. Th. Rietschel 697–704

Physical and inorganic biochemistry

Binding of sugar phosphates, inositol phosphates and phosphorylated amino acids to actin
A. Gaertner, G. W. Mayr and A. Wegner 67– 71

Interaction of mithramycin with DNA — Evidence that mithramycin binds to DNA as a dimer in a right-handed screw conformation
C. Demicheli, J.-P. Albertini and A. Garnier-Suillerot 333–338

^{113}Cd-NMR investigation of a cadmium-substituted copper, zinc-containing superoxide dismutase from yeast
P. Kofod, R. Bauer, E. Danielsen, E. Larsen and M. J. Bjerrum 607–611

Membranes and bioenergetics

Inorganic pyrophosphate-dependent phosphorylation of spinach thylakoid proteins
A. M. Pramanik, S. Bingsmark, M. Lindahl, H. Baltscheffsky, M. Baltscheffsky and B. Andersson 183–186

Reaction mechanism of the reconstituted oxoglutarate carrier from bovine heart mitochondria
C. Indiveri, T. Dierks, R. Krämer and F. Palmieri 339–347

Purification and characterization of the oxidase from the marine bacterium *Pseudomonas nautica* 617
S. Arnaud, F. Malatesta, B. Guigliarelli, J.-P. Gayda, P. Bertrand, R. Miraglio and M. Denis 349–356

Biogenesis of the mitochondrial phosphate carrier
V. Zara, J. Rassow, E. Wachter, M. Tropschug, F. Palmieri, W. Neupert and N. Pfanner 405–410

The H^+-motive and Na^+-motive respiratory chains in *Bacillus* FTU subcellular vesicles
V. A. Kostyrko, A. L. Semeykina, V. P. Skulachev, I. A. Smirnova, M. L. Vaghina and M. L. Verkhovskaya 527–534

Orientation of the haems of the ubiquinol oxidase:O_2 reductase, cytochrome *bo* of *Escherichia coli*
J. C. Salerno and W. J. Ingledew 789–792

Metabolism and metabolic regulation

Studies on the intracellular distributions of soluble epoxide hydrolase and of catalase by digitonin-permeabilization of hepatocytes isolated from control and clofibrate-treated mice
A. M. Eriksson, M.-A. Zetterqvist, B. Lundgren, K. Andersson, B. Beije and J. W. DePierre 471–476

Identification of possible two-reactant sources of oscillations in the Calvin photosynthesis cycle and ancillary pathways
U. Ryde-Pettersson 613–619

Sphingolipid biosynthesis in cultured neurons — Down-regulation of serine palmitoyltransferase by sphingoid bases
E. C. Mandon, G. van Echten, R. Birk, R. R. Schmidt and K. Sandhoff 667–674

The neutrophil respiratory burst — Responses to fatty acids, *N*-formylmethionylleucyl-phenylalanine and phorbol ester suggest divergent signalling mechanisms
S. J. Hardy, B. S. Robinson, A. Poulos, D. P. Harvey, A. Ferrante and A. W. Murray 801–806

Signal transduction and molecular neurobiology

Role of eicosanoids, inositol phosphates and extracellular Ca^{2+} in cell-volume regulation of rat liver
S. vom Dahl, C. Hallbrucker, F. Lang and D. Häussinger 73– 83

Stimulation of non-selective cation channels providing Ca^{2+} influx into platelets by platelet-activating factor and other aggregation inducers
P. V. Avdonin, I. B. Cheglakov and V. A. Tkachuk 267–273

Multisite contacts involved in coupling of the β-adrenergic receptor with the stimulatory guanine-nucleotide-binding regulatory protein — Structural and functional studies by β-receptor-site-specific synthetic peptides
G. Münch, C. Dees, M. Hekman and D. Palm 357–364

Molecular cell biology

Baculovirus-expressed myogenic determination factors require E12 complex formation for binding to the myosin-light-chain enhancer
T. Braun, K. Gearing, W. E. Wright and H. H. Arnold 187–193

Differentiation of ovine brown adipocyte precursor cells in a chemically defined serum-free medium — Importance of glucocorticoids and age of animals
L. Casteilla, J. Nougués, Y. Reyne and D. Ricquier 195–199

N-(Phosphonomethyl)glycine (glyphosate) tolerance in *Euglena gracilis* acquired by either overproduced or resistant 5-*enol*pyruvyl-shikimate-3-phosphate synthase
S. Reinbothe, A. Nelles and B. Parthier 365–373

Evidence for the localization of the nuclear-coded 22-kDa heat-shock protein in a subfraction of thylakoid membranes
I. Adamska and K. Kloppstech 375–381

Acetone-regulated synthesis and degradation of cytochrome *P*4502*E*2 and cytochrome *P*4502*B*1 in rat liver
M. J. J. Ronis, I. Johansson, K. Hultenby, J. Lagercrantz, H. Glaumann and M. Ingelman-Sundberg 383–389

Behavior of cysteine mutants of human lysozyme in *de novo* synthesis and *in vivo* secretion
F. Omura, Y. Taniyama and M. Kikuchi 477–484

N-linked glycosylation affects the processing of mouse submaxillary gland prorenin in transfected AtT20 cells
R. G. Ladenheim, N. G. Seidah and F. Rougeon 535–540

A study of the control of $NADP^+$-dependent isocitrate dehydrogenase activity during gonadotropin-induced development of the rat ovary
G. T. Jennings and P. M. Stevenson 621–625

Modulation by oxygen of the glucagon-dependent activation of the phospho*enol*pyruvate carboxykinase gene in rat hepatocyte cultures
J. Hellkamp, B. Christ, H. Bastian and K. Jungermann 635–639

Mechanism of the permissive action of dexamethasone on the glucagon-dependent activation of the phospho*enol*pyruvate carboxykinase gene in cultured rat hepatocytes
D. Runge, H. Schmidt, B. Christ and K. Jungermann 641–649

α-Factor-leader-directed secretion of recombinant human-insulin-like growth factor I from *Saccharomyces cerevisiae* — Precursor formation and processing in the yeast secretory pathway
K. Steube, B. Chaudhuri, W. Märki, J. P. Merryweather and J. Heim 651–657

Rat liver dimethylglycine dehydrogenase — Flavinylation of the enzyme in hepatocytes in primary culture and characterization of a cDNA clone
H. Lang, M. Polster and R. Brandsch 793–799

Developmental biochemistry and immunology

Cross reactivity of monoclonal antibodies and cDNA hybridization suggest evolutionary relationships between cytochrome *c* oxidase subunits VIa and VIc and between VIIa and VIIb
B. Schneyder, O. Mell, G. Anthony and B. Kadenbach 85– 92

Purification and identification of 91-kDa neutrophil gelatinase — Release by the activating peptide interleukin-8
S. Masure, P. Proost, J. van Damme and G. Opdenakker 391–398

Human complement factor H — Tissue specificity in the expression of three different mRNA species
W. Schwaeble, H. Schwaiger, R. A. Brooimans, A. Barbieri, J. Möst, M. Hirsch-Kauffmann, M. Tiefenthaler, D. F. Lappin, M. R. Daha, K. Whaley and M. P. Dierich 399–404

Indexed in *Current Contents*